

# DRD-on-Calorimetry Status and Scientific Programme

Roman Pöschl



On behalf of DRD-on-Calorimetry


Material partially by Gabriella Gaudio and/or shown at recent collaboration meeting

ILD Monthly Meeting April 2024




### Calorimetry

- DRDT 6.1** Develop radiation-hard calorimeters with enhanced electromagnetic energy and timing resolution
- DRDT 6.2** Develop high-granular calorimeters with multi-dimensional readout for optimised use of particle flow methods
- DRDT 6.3** Develop calorimeters for extreme radiation, rate and pile-up environments



- The **Detector R&D Themes** and the provisional time scale of facilities set high-level boundary conditions
- See backup slides for detailed R&D tasks

- 1<sup>st</sup> Community Meeting 12/1/23
  - <https://indico.cern.ch/event/1212696/>
- Proposal phase until 15<sup>th</sup> of November 2023
  - **Input proposals collected until 1<sup>st</sup> of April 2023**
  - 2<sup>nd</sup> Community Meeting 20<sup>th</sup> April 2023
    - <https://indico.cern.ch/event/1246381/>
- Input proposals have been condensed into a DRD-on-Calorimetry proposal
  - First version submitted to DRDC on July 28<sup>th</sup>
  - Final version submitted to DRDC on November 15<sup>th</sup>
- **DRD-on-Calorimetry approved by CERN Research Board on December 6<sup>th</sup> to start on January 1<sup>st</sup> 2024**



- Higgs factories dominate
  - HF includes heavy flavour (factory) that targets superb elm. energy resolutions
- (Already now) orientation towards future hadron collider and muon collider



DRD 6: Calorimetry

Proposal Team for DRD-on-Calorimetry

January 6, 2024


Martin Aleksa<sup>1</sup>, Etienne Auffray<sup>1</sup>, David Barney<sup>1</sup>, James Brau<sup>2</sup>, Sarah Eno<sup>3</sup>, Roberto Ferrari<sup>4</sup>, Gabriella Gaudio<sup>5</sup>, Alberto Gola<sup>6</sup>, Adrian Irlas<sup>6</sup>, Inad Laktineh<sup>7</sup>, Marco Lucchini<sup>8</sup>, Nicolas Morange<sup>9</sup>, Wataru Ootani<sup>10</sup>, Marc-André Pleier<sup>11</sup>, Roman Pieschl<sup>12</sup>, Philipp Roloff<sup>13</sup>, Felix Seifow<sup>12</sup>, Frank Simon<sup>13</sup>, Tommaso Tabarelli de Fatis<sup>8</sup>, Christophe de la Taille<sup>14</sup>, Hwidong Yoo<sup>15</sup> (Editors)

<sup>1</sup>CERN, Geneva, SWITZERLAND  
<sup>2</sup>University of Oregon, Eugene, OR USA  
<sup>3</sup>University of Maryland, College Park, MD USA  
<sup>4</sup>INFN, Pavia, ITALY  
<sup>5</sup>INFN, Pavia, ITALY  
<sup>6</sup>FBK, Povo, ITALY  
<sup>7</sup>IFIC, CSIC-University of Valencia, Valencia, SPAIN  
<sup>8</sup>IP2I Lyon, Villeurbanne, FRANCE  
<sup>9</sup>University and INFN Milano-Bicocca, Milano, ITALY  
<sup>10</sup>ICLab, Université Paris-Saclay, Orsay, FRANCE  
<sup>11</sup>University of Tokyo, Tokyo, JAPAN  
<sup>12</sup>Brookhaven National Laboratory, Upton, NY USA  
<sup>13</sup>Deutsches Elektronen-Synchrotron DESY, GERMANY  
<sup>14</sup>Karlsruhe Institute of Technology, Karlsruhe, GERMANY  
<sup>15</sup>OMEGA, Palaiseau, FRANCE  
<sup>16</sup>Yonsei University, Seoul, SOUTH-KOREA


**Contents**

<b>1 Introduction</b>	3
<b>2 Organisation of the DRD-on-Calorimetry</b>	3
2.1 Scientific organisation	4
2.2 Governance	5
2.2.1 Executive bodies	6
<b>3 Work Package 1: Sandwich calorimeters with fully embedded electronics</b>	7
3.1 Description	7
3.2 Activities and objectives	8
3.2.1 Task 1.1: Highly pixelised electromagnetic section	8
3.2.2 Task 1.2: Hadronic section with optical tiles	9
3.2.3 Task 1.3: Hadronic section with gaseous readout	10
3.3 Short-term applications	11
<b>4 Work Package 2: Liquefied Noble Gas Calorimeters</b>	11
4.1 Description	11
4.2 Objectives	14
<b>5 Work Package 3: Optical calorimeters</b>	15
5.1 Description	15
5.2 Activities and objectives	15
5.2.1 Task 3.1: Homogeneous and quasi-homogeneous EM calorimeters	16
5.2.2 Task 3.2: Innovative sampling EM calorimeters	17
5.2.3 Task 3.3: Hadronic sampling calorimeters	17
5.2.4 Task 3.4: Materials	18
5.3 Milestones and deliverables	19
5.4 Short-term applications	19
<b>6 Work Package 4: Electronics and readout</b>	21
6.1 Description	21
6.2 Objectives	21
<b>7 Resources</b>	22
<b>8 Working Groups</b>	22
8.1 Photodetectors	22
8.2 Testbeam plans, facilities and infrastructure	25
8.2.1 Thoughts on facilities and infrastructures	25
8.3 Detector physics, simulations, algorithms and software tools	26
8.3.1 Data models and data management	26
8.3.2 DAQ software	27
8.3.3 Simulation	27
8.3.4 Particle flow algorithms	27
8.3.5 Machine learning approach	27
8.4 Industrial connection and technological transfer	27
8.5 Mechanics and Integration	28
<b>9 Interconnections with other DRDs</b>	28
<b>10 Conclusion</b>	28
<b>A Institute list</b>	29
<b>B Contact persons to other DRDs</b>	34

- 34 pages
- Based on worldwide community input
- Short description of goals, projects and organisation
  - Research program (and resources) focuses on 2024 – 2026
  - ... and outlooks beyond
  - Introduction of
    - Proposal of initial Governance structure (see below)
    - Work Packages and Working Groups (see below)
- CERN-DRDC-2024-004 ; DRDC-P-DRD6: <http://cds.cern.ch/record/2886494>




- **Little (extra) need at the beginning (2024-2026)**
  - Start with prototypes that are either existing or currently under construction
  - (Mainly) benefitting from existing funding at national or international level (i.e. AIDAInnova, EUROLABS in Europe or CalVision, RADICAL in the US [plus maybe others], US-Japan Program, R&D programs in China)
  - Specification studies, concept proof – would require fresh funding
- **Relatively high density of beam tests with new (large scale) prototypes after 2026**
  - Several large-scale prototypes demonstrate ambition of R&D programme
- **Execution of program requires availability and support of beam test facilities**



Created with mapchart.net

## Institutes per Countries



- Counted are groups that have expressed an interest to join the DRD Calo via the input proposals or in communication afterwards
- Now starting to scrutinise membership


### MANAGEMENT:

Collaboration Board

Chair Roberto Ferrari (INFN-Pavia)

Spokesperson

Known soon, electronic vote ongoing



### WORK PACKAGES:


WORK PACKAGE 1  
 Sandwich calorimeters with  
 fully embedded Electronics

WORK PACKAGE 2  
 Liquefied Noble Gas  
 calorimeters

WORK PACKAGE 3  
 Optical calorimeters

WORK PACKAGE 4  
 Electronics and DAQ

### WORKING GROUPS:







- “Real” Kick-off of the DRD-on-Calorimetry
- 133 participants, 67 on-site

### MANAGEMENT:

Collaboration Board

Chair Roberto Ferrari (INFN-Pavia)

Spokesperson

Known soon, electronic vote ongoing

Speaker and Publication Bureau

Technical Board

Resource Board

### WORK PACKAGES:

WORK PACKAGE 1  
 Sandwich calorimeters with fully embedded Electronics

WORK PACKAGE 2  
 WP Leader N. Morange  
 Liquefied Noble Gas calorimeters

WORK PACKAGE 3  
 Optical calorimeters

WORK PACKAGE 4  
 Electronics and DAQ

### WORKING GROUPS:

Photodetectors


Testbeam Facilities

Detector Physics, Simulation, Algorithm and Software Tools


Industrial Connections and Technological Transfer

Mechanics and Integration










- Imaging calorimeters live on the high separation power for Particle Flow
- One calorimeter - Subdivided into electromagnetic and hadronic sections



- **Challenges:**
  - High pixelisation,  $4\pi$  hermetic -> little room for services
  - Detector integration plays a crucial role
- **New strategic R&D issues**
  - Detector module integration
  - Timing
  - High rate e+e- collider (such as FCC-ee)



Elm.  
sections

Hadronic  
sections

Task/Subtask	Sensitive Material/ Absorber	DRDT
<b>Task 1.1: Highly pixelised electromagnetic section</b>		
Subtask 1.1.1: SiW-ECAL	Silicon/ Tungsten	6.2
Subtask 1.1.2: Highly compact calo	Solid state (Si or GaAs)/Tungsten	6.2
Subtask 1.1.3: DECAL	CMOS MAPS/Tungsten	6.2, 6.3
Subtask 1.1.4: Sc-Ecal	Scintillating plastic strips/Tungsten	6.2
<b>Task 1.2: Hadronic section with optical tiles</b>		
Subtask 1.2.1: AHCAL	Scintillating plastic tiles/Steel	6.2
Subtask 1.2.2: ScintGlassHCAL	Heavy glass tiles/Steel	6.2
<b>Task 1.3: Hadronic section with gaseous readout</b>		
Subtask 1.3.1: T-SDHCAL	Resistive Plate Chambers/Steel	6.2
Subtask 1.3.2: MPGD-HCAL	Multipattern Gas Detectors/Steel	6.2, 6.3
Subtask 1.3.3: ADRIANO3	Resistive Plate Chambers+Scintillating plastic tiles/ Heavy Glass	6.1, 6.2, 6.3




### Silicon W(olfram) ECAL



#### Main R&D Topics

- High level integration
- Power pulsing <-> continuous operation
- Reduction of power consumption;
- Cooling?
- Timing, if and how
- Real-size layers



### Compact Calo



#### Main R&D Topics

- Testing of sensors with readout strips
- High level integration
- Study of conductive glue
- Wireless data transfer


### Digital ECAL



#### Main R&D Topics

- CMOS MAPS-based optimised for calorimetry
- Reduction of the power consumption to 1mW/cm<sup>2</sup>
- Stitching technologies for large surfaces

### Scintillator ECAL





#### Main R&D Topics

- Power pulsing <-> continuous operations
- Reduction of power consumption
- Cooling?
- Timing, if and how
- Real-size layers



## Analogue HCAL

## ScintGlass HCAL



Glass scintillating Tile


### Main R&D Topics

- Continuous readout,
- Data rates and possible trigger requirements of circular Higgs Factories
- Development of appropriate electrical, thermal and mechanical integration concepts

### Main R&D Topics

- Identification of optimised scintillating glass materials
- Selection of photodetectors and readout ASICs in synergy with other projects in the DRD
- Small electromagnetic prototypes -> full-scale hadronic prototype


## Time-Semi-Digital HCAL



### Main R&D Topics

- Development of multigap RPC (MRPC) to improve timing (and rate capability)
- Readout ASIC, e.g. Liroc
- Development of a few layers of 1x1 m<sup>2</sup> for insertion into SDHCAL prototype

## Micro-Pattern Gas Detector HCAL




### Main R&D Topics

- Simulation studies for a future muon collider
  - Development of large-area MPGD chambers including adequate readout electronics
- ILD Meeting – April 2024

## ADRIANO3

Triple r/o calorimeter



### Main R&D Topics

- Optimisation of light yield, RPC optimisation, timing resolution and cost
- Prototype layers -> medium-scale prototype



## MS and D: Overview Table

	Milestone	Deliverable	Description	Due date	
<b>Task 1.1: Highly pixelised electromagnetic section</b>					
Subtask 1.1.1: SiW ECAL	M1.1	D1.1	Revised 15 layer stack	2024	
		D1.2	Specifications for timing and cooling Engineering module for Higgs factory	2025 >2026	
Subtask 1.1.2: High compact calo	M1.2	D1.3	Updated set of compact detection layers	2024	
		D1.4	Prototype for GaAs sensors with strip readout Set of validated GaAs sensors	2026 >2026	
Subtask 1.1.3: DECAL	M1.3		Requirements for DECAL-specific sensor design established	2024	
	M1.4		Full evaluation of (ALPIDE-based) EPICAL-2 performance	2025	
	M1.5		Design for next-generation sensor with DECAL-specific optimisation (with machine-specific options)	2026	
		D1.5		New sensors produced and evaluated in EPICAL-3 prototype	>2026
Subtask 1.1.4: Sc-ECAL	M1.6		Improved components (engineering for production, timing, active cooling, etc.)	2024	
		D1.6		40-layer prototype and testbeam	2025
<b>Task 1.2: Hadronic section with optical tiles</b>					
Subtask 1.2.1: AHCAL	M1.7 M1.8		Concept for continuous readout	2024	
			First layer with continuous readout	2025	
	D1.7 D1.8 D1.9		EM prototype demonstrating system aspects	2026	
			Full-size layer and multi-layer demonstrator Engineering prototype	>2026 >2026	
Subtask 1.2.2: ScintGlassHCAL	M1.9		cm-scale tiles	2024	
		D1.10		15-layer EM module	2025
		D1.11		40-layer prototype	>2026
<b>Task 1.3: Hadronic section with gaseous readout</b>					
Subtask 1.3.1: T-SDHCAL	M1.10 M1.11 M1.12		Study of the impact of timing on PFA performance	2024	
			Specifications for first layers	2025	
	D1.12		First T-SDHCAL layers	2026	
			40-layer prototype	>2026	
Subtask 1.3.2: MPGD-HCAL	M1.13 M1.14	D1.13	Completion of 6-layer 20 × 20 cm <sup>2</sup> prototype	2024	
			Specifications for 50 × 50 cm <sup>2</sup> prototype	2025	
	D1.14 D1.15		Design of 50 × 100 cm <sup>2</sup> layers	2026	
			10-layers prototype (6L: 20 × 20 cm <sup>2</sup> +4L: 50 × 50 cm <sup>2</sup> )	2026	
			3 100 × 100 cm <sup>2</sup> layers	>2026	
Subtask 1.3.3: ADRIANO3	M1.15 M1.16		Small-scale test layers	2024	
		D1.16		Small-scale prototype Large-scale prototype & testbeam	2025 2026

Total: 16 Milestones and 16 deliverables

## 7 Milestones and 1 deliverable in 2024

### • Milestones

#### • Task 1.1

- Requirements for DECAL-specific sensor design established
- Sc-Ecal: Improved components (engineering for production, timing active cooling)

#### • Task 1.2

- AHCAL: Concept for continuous readout
- ScintGlass HCAL: cm scale tiles

#### • Task 1.3

- T-SDHCAL: Study of the impact of timing on the PFA performance
- MPDG-HCAL: Completion of 6 layer 20x20 cm<sup>2</sup> proto
- ADRIANO3: Small scale test layers


### • Deliverables

#### • Task 1.1

- SiW ECAL: Revised 15 layer stack
- Updated set of compact detector layers


- LAr Calorimetry is proven technology since a few decades  
ATLAS, H1, DO, NA31
- Challenge is to make the technology “fit” for  
future hadron and lepton machines
- Design is driven by particle flow
  - ATLAS Jet-Energy resolution based on PFA
  - ~24% at 20 GeV and 6% at 300 GeV
- => Increase of granularity
  - Goal: Factor ~10 w.r.t. ATLAS LAr Calorimeter
  - 220 kCells -> ~2 MCells

ATLAS LAr calorimeter





- Development of a multilayer PCB
  - HV Layer on both sides
  - Readout layer on both sides
  - Connected to signal trace




- One signal trace is economical solution to reduce signal traces
- Pick-up of signal from both sides increases S/N

## Challenges:

- Control number of signal traces
- Big number of capacitances => Noise
  - Goal is 300 keV Noise for 200 pF cell ( $S/N > 5$ )
  - FCC-ee allows for higher integration times
  - Cold electronics?





## Workplan

- **Absorbers**
  - Find best compromise in feasibility, between thickness, rigidity, support structures
  - Prototypes in 2024 and 2025
- **Small module**
  - Requires to put everything together
  - Design in 2024 and 2025
  - Assemble and test at warm temperatures in 2027
  - **Cold tests and testbeam in 2028**
- **Infrastructure**
  - Use of common tools (EUDAQ...) would facilitate the integration in a testbeam facility
  - Strong testbeam expertise from some institutes

*N. Morange, FCC-France Meeting 2023*

Project	DRDTs	Milestone	Deliverable	Description	Due date
Noble-Liquid Calorimeter	6.1, 6.2, 6.3	M2.1	D2.1	Design review of test module - sign-off	2025
				Test module assembled	> 2026
		M2.2		Test module ready for cool-down	> 2026

Project	Scintillator/WLS	Photodetector	DRDTs	Target
Task 3.1: Homogeneous and quasi-homogeneous EM calorimeters				
<b>HGCCAL</b>	BGO, LYSO	SiPMs	6.1, 6.2	$e^+e^-$
<b>MAXICC</b>	PWO, BGO, BSO	SiPMs	6.1, 6.2	$e^+e^-$
<b>Crilin</b>	PbF <sub>2</sub> , PWO-UF	SiPMs	6.2, 6.3	$\mu^+\mu^-$
Task 3.2: Innovative Sampling EM calorimeters				
<b>GRAiNITA</b>	ZnWO <sub>4</sub> , BGO	SiPMs	6.1, 6.2	$e^+e^-$
<b>SpaCal</b>	GAGG, organic	MCP-PMTs, SiPMs	6.1, 6.3	$e^+e^-/hh$
<b>RADiCAL</b>	LYSO, LuAG	SiPMs	6.1, 6.2, 6.3	$e^+e^-/hh$
Task 3.3: (EM+)Hadronic sampling calorimeters				
<b>DRCal</b>	PMMA, plastic	SiPMs, MCP	6.2	$e^+e^-$
<b>TileCal</b>	PEN, PET	SiPMs	6.2, 6.3	$e^+e^-/hh$
Task 3.4: Materials				
<b>ScintCal</b>	-	-	6.1, 6.2, 6.3	$e^+e^-/\mu^+\mu^-/hh$
<b>CryoDBD Cal</b>	TeO, ZnSe, LiMoO NaMoO, ZnMoO	n.a.	-	DBD experiments




## Task 3.1: Homogeneous and quasi-homogeneous EM calorimeters

<b>HGCCAL</b>	BGO, LYSO	SiPMs	6.1, 6.2	$e^+e^-$
<b>MAXICC</b>	PWO, BGO, BSO	SiPMs	6.1, 6.2	$e^+e^-$
<b>Crilin</b>	PbF <sub>2</sub> , PWO-UF	SiPMs	6.2, 6.3	$\mu^+\mu^-$

### HGCCAL


- Highly granular EM crystal based calorimeter to exploit maximum potential of PFA algorithms
- Integration, reconstruction driven by grid layout
- High density scintillating crystals with double-ended SiPM readout



EM calorimeter module: a grid of  $\sim 1 \times 1 \times 40 \text{ cm}^3$  crystal bars


### MAXICC

- Homogeneous EM calorimeter based on segmented crystals with SiPMs readout and dual-readout capability
- Simultaneous readout of scintillation and Cherenkov light signals from the same active element (heavy inorganic scintillator)



### CRILIN

- Radiation tolerant design of a longitudinally segmented crystal EM calorimeter.
- Very harsh radiation environment for SiPMs, high rate of operation, large beam induced background (BIB).
- Lead fluoride (PbF<sub>2</sub>) crystals, each read out with 2 channels consisting of a pair of SiPMs connected in series




## Task 3.2: Innovative Sampling EM calorimeters


<b>GRAiNITA</b>	ZnWO <sub>4</sub> , BGO	SiPMs	6.1, 6.2	$e^+e^-$
<b>SpaCal</b>	GAGG, organic	MCP-PMTs, SiPMs	6.1, 6.3	$e^+e^-/hh$
<b>RADiCAL</b>	LYSO, LuAG	SiPMs	6.1, 6.2, 6.3	$e^+e^-/hh$

### GRAINITA

- Innovative technique inspired by Shashlyk-type calorimeters.
- Extremely fine granularity.
- Grain of scintillator in dense liquid




- **SpaCal** (ECAL made of scintillating fibres in dense absorbers) with O(10-20) ps time resolution
- Radiation-hard (and radiation-tolerant) scintillating fibres
- Crystal or organic fibres in lead or tungsten absorber, hollow light guides, PMT/SiPM photon detectors, SPIDER ASIC for timing



| 2024

### RADICAL

- Radiation-hard EM calorimeter with 10%/√E energy resolution and 25 ps timing resolution
- Radiation-hard WLS filament and SiPM Shashlik/type ECAL modules with tungsten absorber and LYSO:Ce tiles,
- WLS (full-length or in shower maximum),






## Task 3.3: (EM+) Hadronic sampling calorimeters

<b>DRCal</b>	PMMA, plastic	SiPMs, MCP	6.2	$e^+e^-$
<b>TileCal</b>	PEN, PET	SiPMs	6.2, 6.3	$e^+e^-/hh$


### DRCal

- High resolution Electromagnetic and hadronic calorimeter based on **Dual-Readout Technique**
- **Organic scintillating fibres** in brass or steel absorber (different solutions under development).
- SiPM or MCP-PMT photon detectors integration of a large number of SiPMs



### TileCal



- Hadron calorimeter with scintillating tiles and WLS fibre readout and SiPMs
- Cost-effective production of tiles, radiation hardness for FCC-hh
- Organic scintillating tiles, Steel (+Pb for FCC-hh) absorber



Task 3.4: Materials					
<b>ScintCal</b>	-	-	6.1, 6.2, 6.3	$e^+e^- / \mu^+\mu^- / hh$	
<b>CryoDBD Cal</b>	TeO, ZnSe, LiMoO NaMoO, ZnMoO	n.a.	-	DBD experiments	

- R&D on various scintillators and wavelength shifters
- Optimisation of materials (e.g. for radiation hardness, decay time, collection of Cherenkov light, mass production)
- Technology: Inorganic and organic scintillators, glasses, ceramics, quantum materials

- Future generations of double beta decay experiments based on cryogenic calorimeters benefit from a joint development of new scintillating materials
- Use as targets, active structural components or veto systems





	Milestone	Deliverable	Description	Due date
HGCCAL	M3.1		Specifications of crystal, SiPM and electronics for highly granular EM crystal calorimeter prototype	2024
	M3.2	D3.1	Development of 1-2 crystal EM modules to be exposed to beam tests	2024
			Beam tests characterisation of a full containment highly granular EM crystal calorimeter prototype	2025
	M3.3		A first mechanical design for a final detector with crystal modules	2025
	M3.4	D3.2	New reconstruction software for the long-bar design and updated PFA	2026
	Large crystal module for hadronic performance, system integration studies and combined testbeam with HCal		>2026	
MAXICC	M3.5		Completion of qualification tests on components and selection of crystal, filter and SiPM candidates for prototype	2025
	M3.6	D3.3	Report on the characterisation of crystal, SiPM and optical filter candidates and their combined performance for Cherenkov readout	2025
			Full containment dual-readout crystal EM calorimeter prototype and testbeam characterisation	2026
	M3.7		Joint testbeam of EM module prototype with dual-readout fibre calorimeter prototype (DRCAL)	>2026
Crilin		D3.4	Acquisition and tests of crystals and SiPMs; design and production of electronics boards;	2024
		D3.5	design and production of the mechanical components	2025
	M3.8		Calorimeter fully assembled	2025
	M3.9		Beam test characterisation of a full containment EM calorimeter prototype	2026
GRAiNITA	M3.10	D3.6	Report on testbeam results	2024
			Characterisation of materials, wavelength shifters and SiPMs and identification of best technological choices	2024
			Development of a GRAiNITA demonstrator as EM calorimeter prototype for e+e- collider (full shower containment)	2026
SpaCal	M3.11	D3.7	Tungsten and lead absorbers for module-size prototypes	2024
			Design of optimised light guides	2025
		D3.8	Set of crystal samples, SPIDER ASIC prototype	2026
	M3.12		Specification of photon detector and improved simulation framework available	2026
		D3.9	Module-size prototypes (significantly larger than EM showers) built and validated in beam tests	>2026
RADiCAL		D3.10	Single module with prototype scintillating crystals, SiPMs and front-end electronics cards built and tested.	2024
		D3.11	3x3 array of RADiCAL modules built and tested	2026
	M3.13		Paper on beam-test results for EM shower position, timing and energy	2026
	M3.14		Continue beam testing with alternative scintillation and wavelength shifting materials - for improved cost/performance.	>2026
DRCal		D3.12	Construction of full-scale dual readout module with hadronic shower containment	2025
	M3.15		Testbeam campaign to assess module performance: result paper	2026
	M3.16		Continue beam testing with alternative readout elx	>2026
TileCal	M3.17		Characterisation of PEN- and PET-based scintillating tiles including optimisation of readout with WLS fibres and SiPMs	2025
		D3.13	Construction of up to 3 prototypes of a sampling tile calorimeter module with WLS fibres and SiPM readout (for beam tests after 2026)	2026
	M3.18		Paper on beam test results	>2026
		D3.14	Full hadron-shower containment prototype built and tested	>2026
ScintCal	M3.19		Dataset of scintillation and radiation hardness properties of various scintillation materials studied	2026
		D3.15	Samples of a set of scintillators produced and characterised	2026
		D3.16	Samples of most promising glasses produced and characterised	>2026
CryoDBDCal	M3.20		Material selected for future detectors	>2029
	M3.21		Report crystals in terms of optimisation of growing/doping procedures	2024
		D3.17	Scintillating polymer for 3D-printing, with optimal mechanical and light-production properties, produced and tested	2025

## 3 Milestones and 4 deliverable in 2024

- **Milestones**
  - Task 3.1
    - HGCCAL: Specifications of crystal, SiPM and electronics for highly granular EM crystal calorimeter prototype
  - Task 3.2
    - GRAiNITA: Characterisation of materials, wavelength shifters and SiPMs and identification of best technological choices
  - Task 3.4
    - CryoDBDCal: Report crystals in terms of optimisation of growing/doping procedures
- **Deliverables**
  - Task 3.1
    - HCCCAL: Development of 1-2 crystal EM modules to be exposed to beam tests
    - Crilin: Acquisition and tests of crystals and SiPMs; design and production of electronics boards; design and production of the mechanical components
  - Task 3.2
    - SpaCal: Tungsten and lead absorbers for module-size prototypes
    - Radical: Single module with prototype scintillating crystals, SiPMs and front-end electronics cards built and tested

Name	Track	Active media	readout
LAr	2	LAr	cold/warm elx "HGCROC/CALICE like ASICs"
ScintCal	3	several	SiPM
Cryogenic DBD	3	several	TES/KID/NTL
HGCC	3	Crystal	SiPM
MaxInfo	3	Crystals	SiPM
CriLin	3	PbF2	UV-SiPM
DSC	3	PBBGlass+PbW04	SiPM
ADRIANO3	3	Heavy Glass, Plastic Scint, RPC	SiPM
FiberDR	3	Scint+Cher Fibres	PMT/SiPM, timing via CAENFERS, AARDVARC-v3, DRS
SpaCal	3	scint fibres	PMT/SiPM SPIDER ASIC for timing
Radical	3	Lyso:CE, WLS	SiPM
Grainita	3	BGO, ZnWO4	SiPM
TileHCal	3	organic scint. tiles	SiPM
GlassScintTile	1	SciGlass	SiPM
Scint-Strip	1	Scint.Strips	SiPM
T-SDHCAL	1	GRPC	pad boards
MPGD-Calo	1	muRWELL, MMegas	pad boards (FATIC ASIC/MOSAIC)
Si-W ECAL	1	Silicon sensors	direct with dedicated ASICS (SKIROCN)
Si/GaAS-W ECAL	1	Silicon/GaAS	direct with dedicated ASICS (FLAME, FLAXE)
DECAL	1	CMOS/MAPS	Sensor=ASIC
AHCAL	1	Scint. Tiles	SiPM
MODE	4	-	-
Common RO ASIC	4	-	common R/O ASIC Si/SiPM/LAr

Trends:

- **On-detector embedded elx.**
  - Challenges
    - #channel,
    - Low power
    - Digital noise
    - Data reduction
- **Off-detector electronics:**
  - Challenges for fibre/crystal readout
    - Low power
    - Data reduction
- **Digital calorimetry:**
  - Challenges:
    - (extreme) #channels,
    - Low power
    - Data reduction


Different calorimeter types but similar challenges



- The main goal will be to avoid parallel developments
  - Take CALICE as example
  
- Gather community of “calorimeter electronics developers”
  - Share expertise and experimental results
  - Address specificities of calorimetry
  - Share fabrication (engineering) runs to equip calorimeter prototypes
  
- Evoke possibility to hook onto production for other large projects (EiC?)
  
- Close communication with DRD 3 and DRD 7


	DRDTs	Milestone	Deliverable	Description	Due date
Electronics and DAQ	6.1, 6.2, 6.3	M4.1		Specifications for common ASIC production	2024
			D4.1	Common ASIC production	2025

## From embedded ASICs to off-detector DAQ Early stage data concentration for e.g. SiW ECAL



- High cell density requires innovative solutions for data concentration and signal transmission
- Have to think system integration from the beginning
- Have to make sure that connectivity does not become the bottleneck
  - It is often the cheapest piece that screws up everything

## Transmitting signals to off-detector electronics e.g. SiPM readout for dual readout



20 samples received, same package but SiPMs with different micro-cell size:


### MANAGEMENT:

Collaboration Board

Chair Roberto Ferrari (INFN-Pavia)

Spokesperson

Known soon, electronic vote ongoing



### WORK PACKAGES:


WORK PACKAGE 1  
 Sandwich calorimeters with  
 fully embedded Electronics

WORK PACKAGE 2  
 WP Leader N. Morange  
 Liquefied Noble Gas  
 calorimeters

WORK PACKAGE 3  
 Optical calorimeters

WORK PACKAGE 4  
 Electronics and DAQ

### WORKING GROUPS:




- Working Groups will address work that is common to all work packages in the DRD
- They thus ensure coherence and synergy of the scientific program of the DRD itself
- Some Working Groups cover service tasks
  - Organisation and conduction of beam tests, if possible in a dedicated beam area for calorimetry
  - Software tools
- The detailed organisation of the work within each working group is under the responsibility of dedicated coordinator(s) or directly under the responsibility of Technical Coordination



### Data Acquisition and Monitoring





### Data/Event Processing (key4hep)




Your favorite Calo Prototype(s)

### Physics output

### Exploitation: Pattern recognition, s/w compensation



### From experiments to geant-val, a winding road



## Generic Equipment and Tools



## Overall Planning



## Beam Line Infrastructure




Your favorite  
Calo Prototype(s)

## Communication with Operators



- Many items are common to all projects
- Common coordination will streamline beam test programme





Common setup at CERN June 2022

- Calorimeters are typically large objects
  - A beam test is similar to a small experiment
- Difficult for facility managers to schedule calorimeter beam tests
  - No concurring running with other devices possible
- Takes lots of expertise to carry out a successful beam test campaign
  - Implies use of infrastructure
- A dedicated beam area maybe with dedicated slots during a year may help curing these issues
  - Would need sustained expertise on the beamline
- R&D programme has to cope with facility schedules
  - e.g. CERN-SPS essentially closed 2026-2028

	Energy	Irradiation
Higgs Factory CMS energy 90-1 TeV Radiation $\leq 10^{14}$ $n_{eq}/cm^2$	✓	✓
HL-LHC CMS energy 14 TeV (shared by partons) Radiation $\sim 10^{16} n_{eq}/cm^2$	(✓)	✓
Muon Collider CMS energy 3-10 TeV Radiation $\sim$ HL-LHC	X	✓
Future Hadron Collider CMS energy 100 TeV (shared by partons) Radiation up to $\sim 10^{18}$ $n_{eq}/cm^2$	X	X



Coordinators: Roberto Ferrari, Gabriella Gaudio (INFN-Pavia), **R.P. (IJCLab)**

Representative from ECFA Detector R&D Roadmap Coordination Team: Felix Sefkow (DESY)

**WP 1: Sandwich calorimeters with fully embedded Electronics – Main and forward calorimeters**

Conveners: **Adrian Irles** (IFIC, [adrian.irles@ific.uv.es](mailto:adrian.irles@ific.uv.es)), **Frank Simon** (KIT, [frank.simon@kit.edu](mailto:frank.simon@kit.edu)), Jim Brau (University of Oregon, [jimbrau@uoregon.edu](mailto:jimbrau@uoregon.edu)), **Wataru Ootani** (University of Tokyo, [wataru@icepp.s.u-tokyo.ac.jp](mailto:wataru@icepp.s.u-tokyo.ac.jp)), **Imad Laktineh** (I2PI, [imad.laktineh@in2p3.fr](mailto:imad.laktineh@in2p3.fr)), **Lucia Masetti** ([masetti@physik.uni-mainz.de](mailto:masetti@physik.uni-mainz.de))

**WP 2: Liquified Noble Gas Calorimeters**

Conveners: Martin Aleksa (CERN, [martin.aleksa@cern.ch](mailto:martin.aleksa@cern.ch)), Nicolas Morange (IJCLab, [nicolas.morange@ijclab.in2p3.fr](mailto:nicolas.morange@ijclab.in2p3.fr)), Marc-Andre Pleier ([mpleier@bnl.gov](mailto:mpleier@bnl.gov))

**WP 3: Optical calorimeters: Scintillating based sampling and homogenous calorimeters**

Conveners: Etienne Auffray (CERN, [etiennette.auffray@cern.ch](mailto:etiennette.auffray@cern.ch)), Marco Lucchini (University and INFN Milano-Bicocca, [marco.toliman.lucchini@cern.ch](mailto:marco.toliman.lucchini@cern.ch)), Philipp Roloff (CERN, [philipp.roloff@cern.ch](mailto:philipp.roloff@cern.ch)), Sarah Eno (University of Maryland, [eno@umd.edu](mailto:eno@umd.edu)), Hwidong Yoo (Yonsei University, [hdyoo@cern.ch](mailto:hdyoo@cern.ch))

**WP 4: Electronics and DAQ**

**Christophe de la Taille** (OMEGA, [taille@in2p3.fr](mailto:taille@in2p3.fr))

**Transversal Activities**

Photodetectors: Alberto Gola (FBK, [gola@fbk.eu](mailto:gola@fbk.eu))

- DRD-on-Calorimetry will pursue strategic R&D for calorimeters for future colliders
  - Partially new efforts, partially capitalising on existing activities
- Scientific programme and first ideas of collaboration structure have been worked out by Proposal Team in collaboration with community
- Approval by CERN Research Board to start collaboration on January 1<sup>st</sup> 2024
- Now progressive move from Proposal Team to full Collaboration structure
- Rich scientific programme covering all candidates for future (HEP) calorimeter system (and beyond)
  - Trends are timing, high granularity
  - Multiple synergies within DRD and with other DRDs
  - Though “slow ramp-up” lots of activity expected for 2024
- (Four) Resource loaded Work Packages complemented by several Working Groups

Backup




## **$e^+e^-$ colliders**


Precision physics benefits from exploiting the best possible energy and time resolution

## **Strong interaction experiments (e.g. EIC)**

Requiring the highest energy resolution for low energy photons



Inspired from <https://indico.cern.ch/event/994685/>



- **DRD will be hosted by CERN and therefore become legally CERN collaborations**
  - Significant participations by non-European groups is explicitly welcome and needed => World wide collaborations!
- **The progress and the R&D will be overseen by a DRDC that is assisted by ECFA**
  - Thomas Bergauer of ÖAW/Austria appointed as DRDC-Chair
- **The funding will come from national resources (plus eventually supranational projects)**

MUCOLL  
CALICE  
CERN FCC-ee  
ALICE-FOCAL  
Korea NRF GRANT  
CrystalClear  
CalVision LHC FCC-LH  
AIDA InnoVA LUXE  
MODE  
GlassScint  
EUROLABS  
Radical

- Proposals comes from pre-existing collaborations or working framework
- Consolidated modus-operandi and experience
- Need to pick up all the best and put into the DRD6 collaboration



## Calorimetry issues:

- Linearity
- Dynamic range
- Light yield
- UV and IR sensitivity noise and cross-talk radiation hardness time resolution scalability  
digital SiPMs
  - no sensor development in DRD 6, only tuning and customisation of available architectures
  - coordination with DRD 4 for sensor identification and development
- Quantum photosensors → stay in close contact w/ DRD 5

- 10<sup>th</sup> of January 2024
- 1<sup>st</sup> proto-Collaboration Board Meeting = First event of new DRD-on-Calorimetry Collaboration
  - Recap of way until approval of DRD
  - Outline and discussion of “way ahead”
  - First steps to implement the Collaboration and their endorsement
    - Bootstrap procedure
    - Initial Collaboration structure
    - Preparation of CB-Chair election
- Election of Collaboration Board Chair
  - Meeting on CB Election on February 22<sup>nd</sup>
  - **Roberto Ferrari (INFN Pavia) elected on March 6<sup>th</sup>**
- Preparation of Spokesperson Election
  - Call for proposals until April 4<sup>th</sup>
  - Electronic vote started on April 11<sup>th</sup>

- Key technologies and requirements are identified in ECFA Roadmap


- Si based Calorimeters
- Noble Liquid Calorimeters
- Calorimeters based on gas detectors
- Scintillating tiles and strips
- Crystal based high-resolution Ecals
- Fibre based dual readout

- R&D should in particular enable

- Precision timing
- Radiation hardness

- R&D Tasks are grouped into


- Must happen
- Important
- Desirable
- Already met






# (Rough) Comparison – Hadron collisions $\leftrightarrow$ $e^+e^-$ collisions *DRD Calo*

Hadron-hadron collisions e.g. LHC



- Busy events
- Require hardware and software triggers
- High radiation levels

$e^+e^-$ -collisions



- Clean events
- No trigger (??)
- Full event reconstruction

- Calorimeter prototypes are small experiments with physics output
- Full benefit requires powerful software chain
- Establishment and coordinated application of software tools calls for s/w Working Group
  - ... lead by dedicated s/w coordinator(s)
- Operational common software tools are essential for comparing results of (friendly) competing technologies on equal footing
- Work Packages (and therefore funding agencies) have to dedicate resources (human and monetary) to software tools

No R&D on primary elements (apart from scint. materials) but adaptation, tuning and integration

