





DHCAL-MicroMegas Very Preliminary TB Analysis and Results

Catherine ADLOFF











The Data

The data

- 6th and 7th August
 50k Muons @ ~200 GeV
 250k Pions @ 50 and 200 GeV
 (adjustment, gain calibration)
- 7th and 14th August
 200k Pions @ 200 GeV (+ 50k to check electronics HOLD)
- 14th August
 200k Muons @ ~200 GeV


This Very Preliminary Analysis and Results (A. ESPARGILIÈRE)

15th August
 250k Pions with 1 steel bloc + absorbers

Temperature and Pressure


- Shows little variations
- Previous results :
 - Pressure dependency < 5 ADC/mbar
 - No temperature dependency observed

No correction for a first step




Event tags


- Platinum Events (~30%)
 - One single hit per chamber
 ⇒ the cleanest events
 - Pedestal & gain studies



- Gold Events (~70%)
 - One single hit for at least
 3 chambers
 - ⇒ clean events
 - Efficiency & Multiplicity studies for the last chamber




MIP Signal for Platinum Events (all pads)




5

MIP Signal observed on every Single Channel




Pedestal per pad

Mean




- Pedestal mean
 - aligned online at 20
 - constant over time




Pedestal per pad

Sigma




- Pedestal Sigma : small and constant over time
 - ⇒ Good noise conditions!




Landau Most Probable Value per pad


MIP distribution




- Indication of variation from pad to pad
- Under study:
 - Electronics channels disparity
 - Statistics and fit dependency
 - Drift space homogeneity



Landau Sigma per pad




 12x32 pads MicroMegas shows a larger sigma disparity




Efficiency Measurements

Using Gold events

Prerequisite :
 offline geometrical alignment
 with Platinum events




- One single hit for at least 3 chambers
- Check if the three reference hits form a straight line
- Check if the tested chamber shows some hit(s) in a 3x3 square centred on the expected hit



Efficiency Measurements


	Efficiency
Chamber 0	97,05 ± 0,07%
Chamber 1	98,54 ± 0,05%
Chamber 2	92,99 ± 0,10%
Chamber 3	96,17 ± 0,07%




Multiplicity Measurements

Using Gold events

Prerequisite :
 offline geometrical alignment
 with Platinum events




- One single hit for at least 3 chambers
- Check if the three reference hits form a straight line
- Count the Number of hit(s) in a 3x3
 square centred on the expected hit



Multiplicity Measurements

Multiplicity < 1.1
 <p>(1 chamber 75k Gold events)



Conclusion

- Good data taken at the TB in August 2008
- Very Preliminary Results on
 - prototypes disparity
 - pad homogeneity
 - multiplicity, efficiency
- Still a lot to check and analyse