
Design Studies for BeamCal using new Beam Parameters

Lucia Bortko, DESY – Zeuthen

ECFA Linear Collider Workshop | DESY - Hamburg | 27-31 Mai 2013



Goal and Motivation

Increase efficiency of reconstruction on top of the background (BG) for showers produced by single high energy electrons (sHEe) in

BeamCal




The way to go: increase signal-to-noise ratio (SNR) in pads



Change of design: new segmentation keeping the number of channels

Beam Calorimeter for ILC




Beam parameters from the ILC Technical Design Report (November 2012)

- Nominal parameter set
- Center-of-mass energy 1 TeV

BeamCal aimed:

- Detect sHEe
- Determine Beam Parameters
- Masking backscattered low energetic particles




- Tungsten absorber
- Diamond sensor
- Readout plane/air gap

1 X_0

30 layers

BeamCal Segmentation



**Uniform
Segmentation (US)**

pad sizes are the same



**Proportional
Segmentation (PS)**

pads sizes are proportional to the radius


Similar number of channels

Energy Deposition due to Beamstrahlung

- Beamstrahlung (BS) pairs generated with Guinea Pig
- Energy deposition in sensors from BS simulated with Geant4
 - *considered as Background (BG)*



- RMS of the averaged BG
 - *considered as noise (for SNR)*



Figures show sum of all layers

E_{dep} is the same, but E_{dep}/pad is different!


Single High Energy Electrons

- sHEe of different energies (10, 20, 50, 100 GeV) are sent to each sensor ring
- Showers are simulated with Geant4
- Energy deposited in shower core → considered as signal

Signal-to-noise ratio:





$$\text{SNR} = \frac{\text{signal from HE electron}}{\text{RMS from background}}$$

Example of shower from 100-GeV electron with core in ring at $R = 8$ cm





Evaluation around the Shower Maximum

Longitudinal shower profile (average over 10 showers):





Signal and RMS for both Segmentations

Core signal in layer of shower maximum (10th layer for 100 GeV)



Signal nearly segmentation-independent!

RMS from Background (in 10th layer)






Different distributions!


20 bunch crossings were given



SNR for 100 GeV Electron




Efficiency for 200 GeV Electron




Charge range estimate

Distribution of the collected charge per pad from 500GeV electron showers for Diamond



Distribution of the collected charge per pad from Background for Diamond



For Diamond sensor pad thickness 300 μm :

- Charge collected from MIP: 2.44 fC
- Maximum charge collected – for shower from 500 GeV electron: 12214 fC (correspond to about 5000 MIPs)

Conclusions

- > **New beam parameters has been released in ILC TDR (November 2012)**

- > **Performance of Beamcal for two different sensor segmentations was compared**
 - **Number of readout channels is kept similar**
 - **Signal from sHEe nearly independent of the segmentation**
 - **Energy deposition per pad from beamstrahlung differs significantly**
 - **Proportional segmentation improves the signal-to-noise ratio**
 - **Proportional segmentation gives better reconstruction efficiency**




- > **The charge range has been estimated**
 - **Collected charge per pad from sHEe nearly independent of the segmentation**
 - **Collected charge per pad from BS for US in 6 times more than for PS**






Thank you for your attention!






SNR for 50 GeV Electron



SNR for 20 GeV Electron





SNR for 10 GeV Electron



Charge range estimate

Distribution of the collected charge per pad for 500Gev electron showers



For Diamond sensor pad thickness 300 μm :

- Charge collected from MIP: 2.44 fC
- Maximum charge collected – for shower from 500 GeV electron: 12214 fC
(correspond to about 5000 MIPs)

Distribution of the collected charge per pad for 500Gev electron showers

