# S0 status for the single-cell tests

GDE meeting at Beijing

5<sup>th</sup> February 2007


T. SAEKI, F. Furuta, K. Saito

and KEK SRF group


## Contents

- Single-cell test activity and S0 program at KEK
- Single-cell test activity at DESY/CEA(Saclay)
- Single-cell test activity at Jlab
- Single-cell test activity at Michigan S. Univ.
- Single-cell test activity at IHEP
- Summary

#### Single-cell cavity test activity at KEK




#### Scattering of cavity performance at KEK in 2005




Scattering was caused by bad HPR environment, easy mistakes of cavity assembly, RF processing method and so on.

#### Proof of principle for 50MV/m



### Importance of high-gradient

#### We need more margin in the operation





**ACD** acceptance:

Eacc >40MV/m

Oo 0.8e10@40MV/m


#### Tunnel length and Costing






#### Results after improvements in 2005 (1st series test)

Mechanical grind +light CP+Anneal+EP(80µm)+HPR+Baking




Training of operators and new HPR method reduced the scattering.

#### What is the cause of 20% scattering?



#### Results of 2<sup>nd</sup> series test in 2006

KEK new recipe : CBP+CP+Anneal+EP(80μm, tank)
+EP(3μm, fresh EP acid) + HF + HPR + Baking



EP(3um, fresh EP acid) reduced the scattering.


#### More consideration about scattering


EP(3 um, fresh EP acid) removes the contamination of surface during EP (80 um).

Additionally, we doubted thick EP removal (80 um) makes oxidation layer during EP process.

If mechanical grinding makes the surface roughness < 5 um, less EP removal is OK.

We explored the possibility of less EP removal (20 um) with tank EP acid.







#### EP(80 um) + EP(20 um) + EP(3 um, fresh EP acid)

EP(80 um, tank) + EP(20 um, tank) + EP(3μm, fresh EP acid) + HF + HPR + Baking

Ave. Eacc = 46.7±1.9MV/m Scattering 5%





First trial yield rate (Eacc>40 MV/m) = 100%

#### **Cleaning Process Score for the S0 study (KEK example)**

	Expected yield rate	Disadvantage	Comment	Simplicity & Safety	Cost increase	Normalized Score	Priority
EP(20) + HPR+Bake	0.7		ILC BCD	1.0	1.0	1.0	Ref
EP(20)+H <sub>2</sub> O <sub>2</sub> + HPR+Bake	0.9	Cost increase	TRISTAN Recipe	1.1	1.1	(.17	1
EP(20)+Degreasing+ HPR+Bake	0.9	Cost increase	29MV/m with TESLA 9-cell cavity @ Jlab	1.1	1.1	1.17	1
EP(20)+Alcohol +HPR+Bake	0.85	Cost increase Cure against burst	Stopped @ KEK  Desy trying	1.15	1.15	1.06	2
EP(20)+HF rinsing+HPR+Bake	0.8	Cost increase Hazardous	Not so big potential but low FE @ KEK	1.1	1.15	0.99	3
EP(20)+Boling W +HPR+Bake	0.8	Cost increase complex	Hydrogen doping	1.1	1.15	0.99	3
EP(20)+EP(3 with fresh)+HPR+Bake	1.0	Cost increase	45MV/m with LL shape @ KEK	1.1	1.2	1.19	1
EP(20)+Oxipolishing +HPR+Bake	0.9	Additional process	Stopped @ KEK	1.5	1.3	0.99	3

#### Plan for S0 single-cell cavity study at KEK

cavity		IS#2	IS#3	IS#4	IS#5	IS#6	IS#7	IS#8
EP(80+3) +HF	Eacc	43.88	42.0	46.1	44.7	48.60	39.30	49.2
	Qo	9.47e9	9.72e9	9.47e9	1.08e10	8.00e9	1.03e10	4.33e9
EP(20) +HPR		42.68						
		3.74e9						
EP(20)+H <sub>2</sub> O <sub>2</sub> +HPR								
EP(20)+Degreasing +HPR								
EP(20)+EP( +HPR	3)							

Already we started S0 single-cell study.


Plan is to fill this table within next 4 months.

Specification of cavity fabrication for XFEL project is important.

Qualification of modified fabrication parameters is urgent work

#### Status and Results

DESY standard single-cell cavity:




- 16 cavities at DESY completed:
  - machining, etching, EB welding + mechanical/optical checks inhouse
  - deep drawing of cups and electropolishing (EP) of cavities in industry
- 6 cavities at Accel Co. completed (large grain + mono crystal):
  - final mechanical/optical checks at DESY; EP at Henkel Co.; BCP at Accel

#### Status + Results: Qualification of DESY production


- First step: Qualification of DESY in-house production:
  - 3 single-cells of well-known Nb quality (Heraeus 1999)
  - deepdrawing of cups at Zanon Co.
  - All electropolishing at Henkel Co.
  - Assembly, HPR and tests at hall NO
- all cavities exceed 30 MV/m at high Q-value
- Example for cavity data presentation

#### 1DE1: First DESY-Cavity successful

- First Cavity of DESY inhouse fabrication
- 150μm EP@Henkel, 800C, 130μm EP@Henkel, HPR, 127C bake, HPR
   (i) 130μm EP due to grinding; ii) add. HPR after bake necessary due to field emission)
   E<sub>acc</sub> = 34 MV/m @ Q<sub>0</sub> = 1 ·10<sup>10</sup>; no FE; limited by BD; few MP



Q(E)-curves before and after bake at T = 2K




Quench location far off the equator

### Status and Results: Welding preparation

- Modification of present spec for welding preparation during cavity fabrication:
  - 1x reference cavity: max 8h between final etching of weld area and EB welding; (tested)
  - 2x cavities with 168h storage under vacuum of components after final etch of weld area; (2x tested)
  - 2x cavities with 168h storage under nitrogen atmosphere of components after final etch of weld area; (1x tested; 1xready for test)
- Good cavity performance with gradients between 31MV/m and 38 MV/m!!
- Modified welding preparation is accepted !!

### Status and Results: Welding preparation II



#### New EP facility @ CEA (Saclay)



#### Material


- PFA piping
- PVCC Tank + internal cooling PVDF pipe
- Nitrogen Flow in cavity and tank
- Data monitoring: I, T, V
- Some pneumatic valves

First operation with acid: 10-17-2006

First cavity (1DE1) polished for test: 10-24-2006


- Processing @ constant voltage: 17 Volts
- 1 Vol HF (40%) 9 Vol H<sub>2</sub>SO<sub>4</sub> (95%) Mixture (Fresh bath)
- Ethanol rinsing

#### FIRST RF RESULTS AFTER TREATMENT: 1DE1 CAVITY @ CEA



#### 42 µm removed

- Acid flow 7L/min
- Cavity rotation:~1 tr/min
- Acid temperature: 25-30°C
- Nitrogen flowr: 3-10 L/min (tank)
  - 2L/min (cavity)
- Voltage: ~17 Volts
- Maximum intensity: ~ 80 A
- Strong sulfur odor after treatment



#### **Baking and RF Test @ DESY**

31 MV/m (Quench?) before baking

42.73 MV/m @1.8K after baking


+7MV/m / last treatment

Qo Vs Eacc for last treatments

CEA is ready to join S0 program in collaboration with DESY

## Large Grain/Single Crystal study @ Jlab

**CBMM** 



Ingot "D",800 ppm Ta



Ingot "A", 800 ppm Ta

Ninxia




Wah Chang






Ingot "C", 1500 ppm Ta




Main activity is focused on LG/SC study.

## LL and HG single-crystal cavities @ Jlab



Scaled LL successfully reached 45 MV/m


## Summary of LG/SC before post-purification



Details of LG/SC studies will be presented in parallel session Jlab just started discussion about S0 single-cell study.

# Michigan State University (MSU)





1.3 GHz  $\beta$ =0.81 for FNAL Proton Driver.

Half-Reentrant cavity for high-gradient study.

MSU is interested in S0 program.

# Single-cell study @ IHEP




Deep drawing



**Trimming** 



After the fabrication



Beam pipe EBW



Half cell EBW



After the EBW

**Close collaboration with KEK** 

# Single-cell study @ IHEP



Chemical Polishing (CP) of  $1.3GHz/\beta=0.45$  SCC

IHEP is ready to join S0 study

# Summary

- KEK: EP(80 um) + EP(20 um) + EP(3um, fresh EP acid) produced small scattering of 5 % (N=6). The result of Avr. Eacc=46.7 @ high Q is already beyond ACD acceptance.
- KEK proposed an example of S0 program with 8 final rinsing methods. KEK picked up 4 items and plan is to test 4 items with six cavities within 4 months.
- DESY: Urgent work is fabrication specification for XFEL project. From single-cell tests, new fabrication specifications were established. 8-hour rule, nitrogen atmosphere storage between final edge of welding area and welding.
- CEA: CEA and DESY collaboration is in good shape. DESY cavity processed at CEA (EP 42 um) reached 43 MV/m in VT at DESY. DESY/CEA are ready to join S0 program.
- JLab: Scaled ILC LL reached 45 MV/m. Main focus of single-cell cavity studies is on large-grain and single-crystal material. Just start discussions how to contribute S0 study.
- Michigan State University and IHEP is ready for S0 program. 27