Jason Abernathy<sup>2</sup>, Klaus Dehmelt<sup>3</sup>, Ralf Diener<sup>3</sup>, Jan Engels<sup>3</sup>, Jim Hunt<sup>4</sup>, Matthias Enno Janssen<sup>3</sup>, Thorsten Krautscheid<sup>1</sup>, Astrid Münnich<sup>5</sup>, Stephen Turnbull<sup>6</sup>, Martin Ummenhofer<sup>1</sup>, Adrian Vogel<sup>3</sup>, Peter Wienemann<sup>1</sup> and Simone Zimmermann<sup>1</sup>

1: University of Bonn — 2: University of Victoria — 3: DESY Hamburg 4: Cornell University — 5: TRIUMF — 6: CEA IRFU Saclay

# MarlinTPC: Reconstruction Software for Time Projection Chambers

- Introduction
- Current Status:
  - -Digitization/Simulation
  - -Field Distortions
  - -Reconstruction
  - -Analysis
  - -Gear
- Outlook









- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

#### Introduction

- MarlinTPC is a software tool for TPC studies:
  - Simulation/Digitization
  - Reconstruction
  - Analysis







- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

#### Introduction

MarlinTPC is a software tool for TPC studies:

116

- Simulation/Digitization
- Reconstruction
- Analysis
- Based on Marlin, LCIO, Gear and LCCD
- Developed in an international effort







- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

#### Introduction

- MarlinTPC is a software tool for TPC studies:
  - Simulation/Digitization
  - Reconstruction
  - Analysis
  - Based on Marlin, LCIO, Gear and LCCD
  - Developed in an international effort
  - Highly modular and independent of specific detector, works for:
    - Prototypes and large ILC detector TPCs
    - MICROMEGAS, GEMs and Anode Wires
    - Pad and Pixel (TimePix) readout
    - ADC and TDC read-out electronics







- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

### **Simulation/Digitization**

- Input:
  - Single electrons from detailed simulation (inside MarlinTPC): production, drift, amplification and pulse shaping of electronics
  - Mokka Hits: smearing (+voxel) or -more detailed- electron cloud simulation
- Provides:
  - TrackerRawData for use in reconstruction
  - Read-out specific data
  - Event pile-up
  - Ion backdrift
  - Handling of field distortions








- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

# **Digitization: Mokka**

IIL

Not sufficient










- 2. Simulation Digitization

1. Introduction

- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

#### **Digitization: MarlinTPC**

• By calculation charge in voxels more realism gained:



- Raw data (ADC counts)

116

- Pad geometry taken into account
- Whole reconstruction chain can be tested / used
- Realistic event pile-up
- Dead or noisy channels can be taken into account





- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

#### Ralf Diener. Hamburg University



# **Digitization: Electron Cloud**

- Simulates electron clouds instead of single electrons
- Includes ionization, drifting, GEM amplification and digitization:

- PrimarylonizationProcessor
- ElectronCloudDrifterProcessor
- ElectronCloudGEMAmplificationProcessor
- ElectronCloudChargeDepositProcessor
- SignalShaperGaussianProcessor
- SignalCombinerProcessor
- SignalDigitizerProcessor
- First test were performed with  $\sim 500 \text{ m}^{-1}$ (single tracks, no curlers/noise, homogeneous B field):
  - Momentum resolution:  $\sigma(1/p_{\tau}) \sim 1.37 \times 10^{-4} (\text{GeV/c})^{-1}$
  - 100% reconstruction efficiency
- Still work to do: too many energy deposits crash program, add support for multiple read-out modules, more testing




116

1. Introduction

**MarlinTPC** 

- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook









- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

#### **Digitization: B-Field Distortions**

- Electron cloud package can take into account B field distortions
- Query of the magnetic/electric field at a point in the detector
- B field information can be a map or a parametrized field and is stored in a LCGenericObject
- Global field= sum ofsmaller fields





**Amplified Cloud** 

116

- Electron cloud package can be used in the likelihood fitter:
  - → track fit including distortion correction





- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

#### **Digitization: Single Electrons Simulation**

- Simulation package for detailed studies of a TPC:
- Parameterized deposition of primary electrons (from HEED): realistic clusters, delta electrons...
- Drift of electrons incl. diffusion
- Detailed simulation of amplification and charge transfer in a GEM stack, incl. gain fluctuations and collection / extraction efficiencies: only for specific gas mixtures:
   Currently: P5 (Ar:CH /95:5), P10 (Ar:CH /90:10) and TDP

116

Currently: P5 (Ar:CH<sub>4</sub>/95:5), P10 (Ar:CH<sub>4</sub>/90:10) and TDR (Ar:CH<sub>4</sub>,CO<sub>2</sub>/93:5:2)


- Simulation of MICROMEGAS amplification still missing
- Every single primary electron is tracked in the TPC. This should provide data realistic enough for a silicon pixel readout.





- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

### **Digitization: Single Electrons**



116






- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hitsb) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

# **Digitization: E-Field Distortions**

 Single electron drifter can take into account E-field distortions

 Distortions by drifting ions are taken into account



116

 Electron displacement due distortions can be calculated








- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hitsb) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook


Ralf Diener, Hamburg University



# **E-Field Distortions due to ILC Background**

• 1000 Bunch Crossings (BX)





**E-Field** 

# MarlinTPC

- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits b) Electron Cloud
- c) B Distortions
- d) Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook


Ralf Diener, Hamburg University





# E-Field Distortions due to ILC Background


• 1000 Bunch Crossings (BX)













#### 1. Introduction

- 2. Simulation Digitization
- a) Mokka Hits b) Electron Cloud
- c) B Distortions
- d) Single Electr. e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook


Ralf Diener. Hamburg University





# **E-Field Distortions with Optimized GEM Settings**


1000 Bunch Crossings (BX)












# MarlinTPC


- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

Ralf Diener, Hamburg University



#### **Reconstruction: Status Last Year**








- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr. e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

Ralf Diener, Hamburg University



# **Reconstruction: Pixel Reco Update**




# MarlinTPC

- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hitsb) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

Ralf Diener, Hamburg University



#### **Reconstruction: Current Status**




# MarlinTPC

- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

Ralf Diener, Hamburg University



#### **Reconstruction: TDC data**





- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

### **Other Updates**

- HepRep XML output processor available
- Many analysis processors available:
  - BiasedResidualsProcessor
  - CutApplicationProcessor
  - HitAndTrackChargeProcessor
  - HitAndTrackCounterProcessor
  - TimePixClusterSizeProcessor
  - TimePixOccupancyProcessor
  - LinearThreePointResolutionProcessor
- LinearGeometricMeanResolutionProcessor

- TimePixTOTDistributionProcessor
- TrackParametersDistributionProcesor

116

- XYZDistributionProcessor
- XYZDistributionTracksProcessor
- ZBinTemplateProcessor





- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

# **GEAR Update**

- In current/old GEAR implementation:
  - Only one read-out module possible
  - Limited functionality of pad layouts
- Current development:
  - Implementation of multiple read-out modules
  - Extend functionality of pad layouts
  - Stay backwards compatible
- Status of multiple module read-out:
  - Classes are defined and implemented (not in repository yet)
  - XML parser defined and implemented (in testing)
- Todo:
  - Extend functionality of pad layouts based on feedback of TPC R&D groups







- 1. Introduction
- 2. Simulation Digitization
- a) Mokka Hits
- b) Electron Cloud
- c) B Distortions
- d) Single Electr.
- e) E Distortions
- f) Ion Disk
- 3. Reconstruction
- a) Last Year
- b) TimePix
- c) Status
- d) TDC
- 4) Other Updates
- a) Analysis
- b) GEAR
- 5) Conclusion Outlook

#### **Conclusions and Outlook**

- MarlinTPC is the default reconstruction and analysis tool for the Large Protoype
- Field distortions:
  - Basic functionality implemented
  - First tests promising
  - Still work to do (bugfixing, "mixing" E and B field distortions)
- Pixel reconstruction:
  - Basically ready and complete (is in use at least at the Bonn group)

- Pad reconstruction:
  - Basic chain ready and complete (can be extended)
  - Revision of some implementations
- Extend analysis processor collection to complete standard analysis
- Finish GEAR extension
- "Data Challenge" is planned: testing of all functionality with MC and protoype data



