



Impact of reducing the beam height in the ILD integration







Outline



- Motivations for these studies
- Present design
 - Reminder of last design (pillar and double support tube)
 - Opening scenario
 - Supporting feet design proposal:
 - Barrel
 - Endcap
- Toward a 8m beam height
 - Modifications for the barrel
 - Modification for the Endcaps

Conclusions and comments




Introduction



- The goal is to soon converge to a common solution between SiD and ILD
 - With or without a platform
- ILD prefers the platform solution for many reasons
- BUT beam height of each detector is different :
 - 9m for ILD
 - Around 8m for SiD ?

 At CERN workshop we discussed about having both detector on 2 platforms with different height






First consequence




 For opening on beam, the platform must take all the width of the cavern (18m)





How it looks like?





From M. Oriunno @ SiD workshop 2010 after CERN workshop


→ It seems interesting to reduce the difference as much as possible




Reminder of the present design



- Solution of double tube support for the forward region :
 - Inner tube fixed to the machine concrete on beam for QD0
 - Outer tube supported with pillar and tension rod
 - Pillar is used to support QD0 off beam








Present design with 9m



- Same as Lol: end cap in 3 parts
 - Inner endcap ring with muon chambers
 - Last endcap ring split in 2
- About 1m for accesing






Rough barrel feet design



- Dimension of airpads :
 - 500mm height






Endcap feet



- Designed from H. Gerwing in 2009
 - 15% stability seems OK (to be checked)






Toward 8m beam height




- Why 8m? = Challenging goal in order to
 - See all the problems when reducing beam height
 - Check if one unique beam height is possible
- Distance between yoke and floor would then be around 250mm.
- Modification to the barrel yoke feet
 - No huge change





First endcap ring






- - Feet design is modified
 - Distance between feet is increased
 - Muons chamber must then be inserted horizontally




Split endcaps








- Feet design is modified
- Yoke design also modified
- One airpad is integrated into the yoke for stability reason





Some additionnal pictures








New ILD and SiD on a platform







Conclusions and comments



- Having a 8m beam height seems feasible in the present baseline
 - No changes on barrel yoke
 - Review endcap yoke design
 - Certainly accept horizontal insertion of the muons chambers
 - Review opening scenario on IP
 - Any comments?
- Some general comments on the integration :
 - Pillar dimensions is defined by the cryoline + cryobox
 - Possible to reduce the length by putting the box outside the platform
 - Is that split endcap easy to handle?
 - Need 2 different movements
 - If we want to avoid these split endcaps, how to recover the beam access?
 - Reduce the pillar length to the minimum (about 200mm)
 - Reduce the yoke size
 - Is it possible to relax the fringe fields constraints?
 - Use this famous endcap coils as CLIC?