

ILD Platform Based Push-Pull Detector Movement

Uwe Schneekloth DESY

19.10.2010 IWLC 2010, Genève

Outline

- Detector Assembly
- Detector Opening
- Push-Pull using Platform
- Push-Pull without Platform
- Conclusion


```
K. Buesser<sup>1</sup>, C. Clerc<sup>2</sup>, M. Joré<sup>4</sup>, B. Krause<sup>1</sup>, A. Petrov<sup>1</sup>, U.Schneekloth<sup>1</sup>, K. Sinram<sup>1</sup>, R. Stromhagen<sup>1</sup>, A. Petrov<sup>1</sup>, Y. Sugimoto<sup>5</sup>, T. Tauchi<sup>5</sup>


1DESY, 2LLR, 4LAL, 5KEK
```

Detector Assembly

Detector assembly similar to CMS

- Detector pre-assembled on surface
- Large independent sub-assemblies lowered into experimental hall
- Barrel consisting out of three ring barrel wheels
- Each end-cap consisting out of two (or three) parts






Detector Opening

Detector opening foreseen in parking and in beam

position

Beam position

 End-caps can be opened Limited access to EC and barrel and some inner sub-detectors



Detector Opening


Detector opening foreseen in parking and in beam position

Parking position

End-caps and all three barrel
 whools can be opened

wheels can be opened

 Access to all detector components possible



Push-Pull Concept

- ILC Detectors and in particular final beam line elements have to be positioned and aligned very precisely
- Ideally, the detectors should not be moved, at least not frequently, out of or into the beam position
- Push-pull concept was introduced due to financial reasons not to improve the setup
- Frequent push-pull requires detector moving mechanism to be optimized for fast moving in and out
- Detector moving to be designed to be fast and not complicated

Push-Pull using Platform

- Reduce vibrations during movement
 - Initial concern was vibrations on cold mass during movement while solenoid cold
- Keeping inter-alignment of detector parts
 - Barrel wheels and end-cap parts can be aligned on platform in parking position
 - Time for alignment in beam position is reduced
 - Calibration requirements are reduced
- Movement directions are decoupled
 - Push-pull movement (transverse) is done by platform
 - Detector opening is done by longitudinal movement of end-caps or barrel wheels
 - One dimensional movement systems easier, can be optimized
- Floor behavior is decoupled from detector mounting
- Platform separates push-pull moving system from detector
- Damping or earth quake damping systems could be implement underneath platform
- Best compatibility with ILD assembly and opening procedures

Push-Pull without Platform

Present design of ILD

- Common (push-pull) movement of barrel wheels not possible
 - Solenoid extends over all three barrel wheels
 - Would need rigid connection between barrel wheels
- Common (push-pull) movement of barrel and endcaps not possible
 - Would need rigid connection between barrel and end-caps

Push-Pull without Platform

Common rigid frame for barrel wheels, barrel end-caps and inner outer end-caps connection

- Fixed frame should severely limit access when detector is open
 - Access between barrel and end-cap, access between barrel wheels ("cherry picker", scaffolding or crane access like at CMS)
- Mounting/dismounting removable frame would be too time consuming for fast push-pull operation
- Outer frame would add added magnetic material and weight
 - Adding iron would modify the magnetic stray field and forces (CMS experience)
- Outer frame may lead to re-design of the assembly procedure
- Distribution of outer forces during movement much more complicated with outer frame. Frame coupled to barrel wheels and end-caps
 - Sheering force may result into misalignment of detector parts

Conclusion

- Push-pull is a delicate operation, which has to be performed reliably, fast and without complications, e.g. mis-alignment of detector parts during movement
- Adequate moving system is essential, which fulfills these requirements
- Present design of ILD, relying on concrete platform for the moving system, fulfills the requirements
- Connecting barrel wheels, barrel end-caps and endcaps part using an outer frame has severe disadvantages